

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
1.1	Would you say that in general your health is...	1122	99.6%	4	0.4%	346	30.8%	776	69.2%	19.731^a	4	0.001
	Excellent	198	17.6%			53	15.3%	145	18.7%			
	Very good	307	27.4%			73	21.1%	234	30.2%			
	Good	361	32.2%			117	33.8%	244	31.4%			
	Fair	177	15.8%			71	20.5%	106	13.7%			
	Poor	79	7.0%			32	9.2%	47	6.1%			
	<i>Rec-Would you say that in general your health is...</i>	1122	99.6%	4	0.4%	346	30.8%	776	69.2%	13.731 ^a	1	0.000
	Poor	256	22.8%			103	29.8%	153	19.7%	*13.166	1	0.000
	Adequate	866	77.2%			243	70.2%	623	80.3%			
2.1	How many days during the past 30 days was your physical health not good? (if none, skip 2.3)	1111	98.7%	15	1.3%	342	30.8%	769	69.2%	11.233^a	4	0.024
	1-2 days	79	7.1%			15	4.4%	64	8.3%			
	3-7 days	81	7.3%			29	8.5%	52	6.8%			
	8-14 days	49	4.4%			18	5.0%	31	4.0%			
	15-30 days	188	16.9%			70	20.5%	118	15.3%			
	No days	714	64.3%			210	61.4%	504	65.5%			
	<i>Rec-How many days during past 30 days was your physical health not good? (Poor=3-30days; Adequate 0-2days)</i>	1111	98.7%	15	1.3%	342	30.8%	769	69.2%	7.551 ^a	1	0.006
	Poor	318	28.6%			117	34.2%	201	26.1%	*7.161	1	0.007
	Adequate	793	71.4%			225	65.8%	568	73.9%			
2.2	How many days during the past 30 days was your mental health not good? (if none, skip 2.3)	1112	98.8%	14	1.2%	344	30.9%	768	69.1%	11.405^a	4	0.022
	1-2 days	59	5.3%			14	4.1%	45	5.9%			
	3-7 days	63	5.7%			18	5.2%	45	5.9%			
	8-14 days	32	2.9%			16	4.7%	16	2.1%			
	15-30 days	123	11.1%			48	14.0%	75	9.8%			
	No days	835	75.1%			248	72.1%	587	76.4%			
	<i>Rec- How many days during the past 30 days was your mental health not good? (if none, skip 2.3)</i>	1112	98.8%	14	1.2%	344	30.9%	768	69.1%	5.662 ^a	1	0.017
	Poor	218	19.6%			82	23.8%	136	17.7%	*5.28	1	0.022
	Adequate	894	80.4%			262	76.2%	632	82.3%			

Responses in orange categorized as "poor"

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
2.3	How many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation? (only those who indicated #days on 2.1 [397], 2.2 [277])*	505	44.8%	621	55.2%	162 [96;132]	32.1%	343 [265;181]	67.9%	11.374 ^a	4	0.023
	1-2 days	50	9.9%			14	8.6%	36	10.5%			
	3-7 days	62	12.3%			22	13.6%	40	11.7%			
	8-14 days	22	4.4%			10	6.2%	12	3.5%			
	15-30 days	132	26.1%			54	33.3%	78	22.7%			
	No days	239	47.3%			62	38.3%	177	51.6%			
	<i>Rec-How many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?</i>	505	44.8%	621	55.2%	162	32.1%	343	67.9%	10.366 ^a	1	0.001
	<i>Poor</i>	216	42.8%			86	53.1%	130	37.9%	*9.755	1	0.002
	<i>Adequate</i>	289	57.2%			76	46.9%	213	62.1%			
3.1	Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare? (If respond yes, go to CC1; if respond no, don't know, refused - go to CC2)	1120	99.5%	6	0.5%	344	30.7%	776	69.3%	33.151 ^a	1	0.000
	yes	981	87.6%			272	79.1%	709	91.4%	*32.03	1	0.000
	no	139	12.4%			72	20.9%	67	8.6%			
CC.1	What are your sources of health insurance (check all that apply). If respond yes to 3.1 [981 total, 272; 709]	[981]				[272]		[709]				
	Medicaid	1121		5		346		775		22.341 ^a	1	0.000
	yes	86				46		40		*21.207	1	0.000
	no	1035				300		735				
	Medicare	1122		4		346		776		8.106 ^a	1	0.004
	yes	279				67		212		*7.686	1	0.006
	no	843				279		564				
	HMO/PPO	1124		2		347		777		63.344 ^a	1	0.000
	yes	684				151		533		*62.296	1	0.000
	no	440				196		244				
	Long-term care insurance	1122		4		346		751		0.314 ^a	1	0.576
	yes	34				9		25		*0.138	1	0.710
	no	1088				337		751				

Responses in orange categorized as "poor"

Recoded questions and respective data in blue

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

[Red #] indicate potential # eligible respondents for question

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
CC.1	Other (specify)	1121		5		346		775		1.702 ^a	1	0.192
cont'd	yes	71				17		54		*1.373	1	0.241
	no	1050				329		721				
CC.2.	Have you ever gone without a needed prescription because of the cost? (asked of everyone)	1120	99.5%	6	0.5%	346	30.9%	774	69.1%	18.794 ^a	1	0.000
	Yes	241	21.5%			102	29.5%	139	18.0%	*18.118	1	0.000
	No	879	78.5%			244	70.5%	635	82.0%			
3.2	Do you have one person you think of as your personal doctor or health care provider?	1123	99.7%	3	0.3%	346	30.8%	777	69.2%	13.438 ^a	2	0.001
	Yes, only one	933	83.1%			271	78.3%	662	85.2%			
	More than one	117	10.4%			39	11.3%	78	10.0%			
	No	73	6.5%			36	10.4%	37	4.8%			
	<i>Rec-Do you have one person you think of as your PCP?</i>	1123	99.7%	3	0.3%	346	30.8%	777	69.2%	8.052 ^a	1	0.005
	Poor	190	16.9%			75	21.7%	115	14.8%	*7.57	1	0.006
	Adequate	933	83.1%			271	78.3%	662	85.2%			
3.3	Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?	1121	99.6%	5	0.4%	345	30.8%	776	69.2%	19.993 ^a	1	0.000
	Yes	167	14.9%			76	22.0%	91	11.7%	*19.189	1	0.000
	No	954	85.1%			269	78.0%	685	88.3%			
4.1	During past month did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?	1123	99.7%	3	0.3%	348	31.0%	775	69.0%	23.277 ^a	1	0.000
	Yes	791	70.4%			211	60.6%	580	74.8%	*22.599	1	0.000
	No	332	29.6%			137	39.4%	195	25.2%			
M.16	Which statement best describes the rules about smoking inside your home?	1123	99.7%	3	0.3%	348	31.0%	775	69.0%	15.905 ^a	3	0.001
	Smoking is NOT allowed anywhere inside your home	824	73.4%			247	71.0%	577	74.5%			
	smoking is allowed in some places or at some times	120	10.7%			48	13.8%	72	9.3%			
	smoking is allowed anywhere inside your home	68	6.1%			30	8.6%	38	4.9%			
	there are no rules about smoking inside your home	111	9.9%			23	6.6%	88	11.4%			
	<i>Rec-Which statement best describes the rules about smoking inside your home?</i>	1123	99.7%	3	0.3%	348	31.0%	775	69.0%	1.484 ^a	1	0.233
	Poor	299	26.6%			101	29.0%	198	25.5%	*1.312	1	0.252
	Adequate	824	73.4%			247	71.0%	577	74.5%			

Responses in orange categorized as "poor"

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Recoded questions and respective data in blue

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
7.1	Have you smoked at least 100 cigarettes in your entire life? (If no, go to Module 14, Q22)	1122	99.6%	4	0.4%	346	30.8%	776	69.2%	5.555 ^a	1	0.018
	Yes	539	48.0%			148	42.8%	391	50.4%	*5.254	1	0.022
	No	583	52.0%			198	57.2%	385	49.6%			
7.2	Do you now smoke cigarettes every day, some days, or not at all? (If answered yes to 7.1) [539]	538	47.8%	588	52.2%	148 [148]	27.5%	390 [391]	72.5%	11.026 ^a	2	0.004
	Every day	199	37.0%			66	44.6%	133	34.1%			
	Some days	46	8.6%			18	12.2%	28	7.2%			
	Not at all	293	54.5%			64	43.2%	229	58.7%			
	<i>Rec-Do you now smoke cigarettes every day, some days, or not at all? (If answered yes to 7.1)</i>	538	47.8%	588	52.2%	148	27.5%	390	72.5%	10.359 ^a	1	0.001
	Poor	245	45.5%			84	56.8%	161	41.3%	*9.744	1	0.002
	Adequate	293	54.5%			64	43.2%	229	58.7%			
7.3	During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking? (if answered everyday/some days to 7.2) [245]	246	21.8%	880	78.2%	84 [84]	34.1%	162 [161]	65.9%	0.480 ^a	1	0.489
	Yes	136	55.3%			49	58.3%	87	53.7%	*0.311	1	0.577
	No	110	44.7%			35	41.7%	75	46.3%			
M.15	In the past 12 months, how many visits were you advised to quit smoking by a doctor, or other health provider? (if answered everyday/some days to 7.2) [245]	226	20.1%	900	79.9%	74 [84]	32.7%	152 [161]	67.3%	1.909 ^b	4	0.752
	1-2 times	65	28.8%			19	25.7%	46	30.3%			
	3-5 times	33	14.6%			9	12.2%	24	15.8%			
	6-9 times	6	2.7%			2	2.7%	4	2.6%			
	10 or more times	11	4.9%			5	6.8%	6	3.9%			
	None	111	49.1%			39	52.7%	72	47.4%			
	<i>Rec-In the past 12 months, how many visits were you advised to quit smoking by a doctor, or other health provider?</i>	226	20.1%	900	79.9%	74	32.7%	152	67.3%	0.567 ^a	1	0.452
	Poor	115	50.9%			35	47.3%	80	52.6%	*0.373	1	0.541
	Adequate	111	49.1%			39	52.7%	72	47.4%			

Responses in orange categorized as "poor"

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^b 3 cells (30%) have expected count < 5 (minimum expected count varies per question)

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
8.1	How many days per week or per month did you have at least one drink of any alcoholic beverage? (If responded none, don't know, or refused directed to next section - 10.1-Q33)	1123	99.7%	3	0.3%	347	30.9%	776	69.1%	53.222^a	4	0.000
	Less than once per week	193	17.2%			39	11.2%	154	19.8%			
	1-2 times per week	172	15.3%			29	8.4%	143	18.4%			
	<i>3-6 times per week</i>	<i>68</i>	<i>6.1%</i>			<i>16</i>	<i>4.6%</i>	<i>52</i>	<i>6.7%</i>			
	<i>Daily</i>	<i>40</i>	<i>3.6%</i>			<i>7</i>	<i>2.0%</i>	<i>33</i>	<i>4.3%</i>			
	None	650	57.9%			256	73.8%	394	35.1%			
	<i>Rec-How many days per week or per month did you have at least one drink of any alcoholic beverage?</i>	<i>1123</i>	<i>99.7%</i>	<i>3</i>	<i>0.3%</i>	<i>347</i>	<i>30.9%</i>	<i>776</i>	<i>69.1%</i>	<i>5.161^a</i>	<i>1</i>	<i>0.023</i>
	Poor	108	9.6%			23	6.6%	85	11.0%	*4.675	1	0.031
	Adequate	1015	90.4%			324	93.4%	691	89.0%			
8.2	On the days when you drank, about how many drinks, did you drink on average? (respondents who indicated positive answer to 8.1-R25 - [473])	468	41.6%	658		88 [91]	18.8%	380 [382]	81.2%	12.385^a	2	0.002
	1-2 drinks	359	76.7%			55	62.5%	304	80.0%			
	<i>3-4 drinks</i>	<i>77</i>	<i>16.5%</i>			<i>24</i>	<i>27.3%</i>	<i>53</i>	<i>13.9%</i>			
	<i>5 or more</i>	<i>32</i>	<i>6.8%</i>			<i>9</i>	<i>10.2%</i>	<i>23</i>	<i>6.1%</i>			
	<i>Rec-On the days when you drank, about how many drinks, did you drink on average?</i>	<i>468</i>	<i>41.6%</i>	<i>658</i>	<i>58.4%</i>	<i>88</i>	<i>18.8%</i>	<i>380</i>	<i>81.2%</i>	<i>12.248^a</i>	<i>1</i>	<i>0.000</i>
	Poor	109	23.3%			33	37.5%	76	20.0%	*11.288	1	0.001
	Adequate	359	76.7%			55	62.5%	304	80.0%			
8.3	How many times during the past 30 days did you have 5 or more drinks on an occasion? (respondents who indicated positive answer to 8.1-R25 [473])	470	41.7%	656		90 [91]	19.1%	380 [382]	80.9%	8.052^b	4	0.090
	<i>Once</i>	<i>24</i>	<i>5.1%</i>			<i>0</i>	<i>0.0%</i>	<i>24</i>	<i>6.3%</i>			
	<i>Twice</i>	<i>17</i>	<i>3.6%</i>			<i>5</i>	<i>5.6%</i>	<i>12</i>	<i>3.2%</i>			
	<i>3-4 times</i>	<i>9</i>	<i>1.9%</i>			<i>3</i>	<i>3.3%</i>	<i>6</i>	<i>1.6%</i>			
	<i>5 or more</i>	<i>20</i>	<i>4.3%</i>			<i>4</i>	<i>4.4%</i>	<i>16</i>	<i>4.2%</i>			
	None	400	85.1%			78	86.7%	322	84.7%			
	<i>Rec-How many times during the past 30 days did you have 5 or more drinks on an occasion?</i>	<i>470</i>	<i>41.7%</i>	<i>656</i>	<i>58.3%</i>	<i>90</i>	<i>19.1%</i>	<i>380</i>	<i>80.9%</i>	<i>0.214^a</i>	<i>1</i>	<i>0.644</i>
	Poor	70	14.9%			12	13.3%	58	15.3%	*0.089	1	0.766
	Adequate	400	85.1%			78	86.7%	322	84.7%			

Responses in orange categorized as "poor"

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^b 4 cells (40%) have expected count < 5 (minimum count varies per question)

[Red #] indicate potential # eligible respondents for question

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
8.4	During the past 30 days, how many times have you driven when you've had perhaps too much to drink? (respondents who indicated positive answer to 8.1-R25)	472	41.9%	654	58.1%	91	19.3%	381	80.7%	2.191 ^g	3	0.534
	<i>Rec-During the past 30 days, how many times have you driven when you've had perhaps too much to drink?</i>	472	41.9%	654	58.1%	91	19.3%	381	80.7%	2.191 ^a	1	0.139
	Poor	9	1.9%			0	0.0%	9	2.4%	*1.11	1	0.292
	Adequate	463	98.1%			91	100.0%	372	97.6%			
10.1	Have you ever been told by a doctor that you have diabetes?	1124	99.8%	2	0.2%	347	30.9%	777	69.1%	10.993 ^b	3	0.012
	Yes	154	13.7%			60	17.3%	94	12.1%			
	Yes, but female told only during pregnancy	38	3.4%			5	1.4%	33	4.2%			
	No	918	81.7%			279	80.4%	639	82.2%			
	No, pre-diabetes or borderline diabetes	14	1.2%			3	0.9%	11	1.4%			
	<i>Rec-Have you ever been told by a doctor that you have diabetes?</i>	1124	99.8%	2	0.2%	347	30.9%	777	69.1%	0.54 ^c	1	0.462
	Poor	206	18.3%			68	19.6%	138	17.8%	*0.424	1	0.515
	Adequate	918	81.7%			279	80.4%	639	82.2%			
11.1	How long has it been since you last visited a dentist or dental clinic for any reason?	1112	98.8%	14	1.2%	342	30.8%	770	69.2%	15.733 ^d	4	0.003
	Within past year (anytime < 12 mos. ago)	744	66.9%			202	59.1%	542	70.4%			
	Within the past 2 yrs (1 yr. but < than 2 yrs ago)	147	13.2%			58	17.0%	89	11.6%			
	Within the past 5 yrs (2 yrs but < 5 yrs ago)	91	8.2%			34	9.9%	57	7.4%			
	5 or more years ago	123	11.1%			47	13.7%	76	9.9%			
	Never	7	0.6%			1	0.3%	6	0.8%			
	<i>Rec-How long has it been since you last visited a dentist or dental clinic for any reason?</i>	1112	98.8%	14	1.2%	342	30.8%	770	69.2%	13.718 ^e	1	0.000
	Poor	368	33.1%			140	40.9%	228	29.6%	*13.212	1	0.000
	Adequate	744	66.9%			202	59.1%	542	70.4%			

^a 1 cell (25%) have expected count < 5 (minimum expected count varies per question)

^b 1 cell (12.5%) have expected count < 5 (minimum expected count varies per question)

^c 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^d 2 cells (20%) have expected count < 5 (minimum expected count varies per question)

^e 6 cells (75%) have expected count < 5 (minimum expected count varies per question)

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
11.2	How many of your permanent teeth have been removed because of tooth decay or gum disease?	1103	98.0%	23	2.0%	340	30.8%	763	69.2%	6.201 ^a	3	0.102
	1 to 5	390	35.4%			126	37.1%	264	34.6%			
	6 or more but not all	213	19.3%			74	21.8%	139	18.2%			
	All	102	9.2%			35	10.3%	67	8.8%			
	None	398	36.1%			105	30.9%	293	38.4%			
	<i>Rec-How many of your permanent teeth have been removed because of tooth decay or gum disease?</i>	1103	98.0%	23	2.0%	340	30.8%	763	69.2%	5.765 ^a	1	0.016
	Poor	705	63.9%			235	69.1%	470	61.6%	*5.444	1	0.020
	Adequate	398	36.1%			105	30.9%	293	38.4%			
11.3	How long has it been since you had your teeth cleaned by a dentist or dental hygienist? (If 11.1=never [1105] or Q11.2 =all [1001], this question skipped).	997	88.5%	129	11.5%	300	30.1%	697	69.9%	32.113 ^b	4	0.000
	Within past year (anytime < 12 mos. ago)	657	65.9%			160	53.3%	497	71.3%			
	Within the past 2 yrs (1 yr. but < than 2 yrs ago)	154	15.4%			63	21.0%	91	13.1%			
	Within the past 5 yrs (2 yrs but < 5 yrs ago)	81	8.1%			32	10.7%	49	7.0%			
	5 or more years ago	99	9.9%			41	13.7%	58	8.3%			
	Never	6	0.6%			4	1.3%	2	0.3%			
	<i>Rec-How long has it been since you had your teeth cleaned by a dentist or dental hygienist?</i>	997	88.5%	129	11.5%	300	30.1%	697	69.9%	30.145 ^a	1	0.000
	Poor	340	34.1%			140	46.7%	200	28.7%	*29.35	1	0.000
	Adequate	657	65.9%			160	53.3%	497	71.3%			
12.1	During the past 12 months, have you had a flu shot?	1118	99.3%	8	0.7%	345	30.9%	773	69.1%	.000 ^a	1	0.986
	Yes	369	33.0%			114	33.0%	255	33.0%	*0	1	1.000
	No	749	67.0%			231	67.0%	518	67.0%			
12.3	Have you ever had a pneumonia shot?	1100	97.7%	26	2.3%	336	30.5%	764	69.5%	5.422 ^a	1	0.020
	Yes	342	31.1%			88	26.2%	254	33.2%	*5.098	1	0.024
	No	758	68.9%			248	73.8%	510	66.8%			
13.1	What is your age?	1118	99.3%	8	0.7%	346	30.9%	772	69.1%	38.901 ^a	5	0.000
	18-24	64	5.7%			34	9.8%	30	3.9%			
	25-34	131	11.7%			59	17.1%	72	9.3%			
	35-44	180	16.1%			61	17.6%	119	15.4%			
	45-54	226	20.2%			67	19.4%	159	20.6%			
	55-64	201	18.0%			49	14.2%	152	19.7%			
	65 or older	316	28.3%			76	22.0%	240	31.1%			

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^b 2 cells (20%) have expected count < 5 (minimum expected count varies per question)

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Recoded questions and respective data in blue

[Red #] indicate potential # eligible respondents for question

Appendix C: BRFSS Analysis - All Questions

BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
	N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
Age 65 and older	1125		1		348	30.9%	777	69.1%	9.828^a	2	0.007
65 and older	316	28.1%			76	21.8%	240	30.9%			
64 and under	802	71.3%			270	77.6%	532	68.5%			
9-refused	7	0.6%			2	0.6%	5	0.6%			
13.2 Are you Hispanic or Latino?	1123	99.7%	3	0.3%	346	30.9%	777	69.1%	83.665^b	1	0.000
Yes	108	9.6%			75	21.7%	33	4.2%	* 81.671	1	0.000
No	1015	90.4%			271	78.3%	744	95.8%			
13.3 What is your primary language?	1114	98.9%	12	1.1%	344	30.9%	770	69.1%	68.64^c	3	0.000
English	1062	95.3%			308	89.5%	754	97.9%			
Spanish	37	3.3%			34	9.9%	3	0.4%			
Chinese	2	0.2%			0	0.0%	2	0.3%			
Other (specify)	13	1.2%			2	0.6%	11	1.4%			
13.5 Are you...?	1119	99.4%	7	0.6%	344	30.7%	775	69.3%	126.613^b	5	0.000
Married	518	46.3%			89	25.9%	429	55.4%			
Divorced	131	11.7%			44	12.8%	87	11.2%			
Widowed	179	16.0%			51	14.8%	128	16.5%			
Separated	31	2.8%			17	4.9%	14	1.8%			
Never Married	235	21.0%			131	38.1%	104	13.4%			
Member of an unmarried couple	25	2.2%			12	3.5%	13	1.7%			
Race (recode - Holleran Consult)	1101	97.8%	25	2.2%	339	30.8%	762	69.2%	592.52^b	3	0.000
Black Only, non-Hispanic	292	26.5%			226	66.7%	66	8.7%			
White only, non-Hispanic	679	61.7%			31	9.1%	648	85.0%			
Other, non-Hispanic	22	2.0%			7	2.1%	15	2.0%			
Hispanic	108	9.8%			75	22.1%	33	4.3%			
13.6 How many children less than 18 years of age live in your household?	1124	99.8%	2	0.2%	347	30.9%	777	69.1%	13.893^d	5	0.016
None	756	67.3%			214	61.7%	542	69.8%			
One	143	12.7%			56	16.1%	87	11.2%			
Two	139	12.4%			43	12.4%	96	12.4%			
Three	65	5.8%			23	6.6%	42	5.4%			
Four	14	1.2%			6	1.7%	8	1.0%			
Five or more	7	0.6%			5	1.4%	2	0.3%			

^a 2 cells (33.3%) have expected count < 5 (minimum expected count varies per question)

^b 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^c 3 cells (37.5%) have expected count < 5 (minimum expected count varies per question)

^d 3 cells (25%) have expected count < 5 (minimum expected count varies per question)

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
13.7	What is the highest grade or year of school you completed?	1125	99.9%	1	0.1%	347	30.8%	778	69.2%	67.199 ^a	5	0.000
	<i>Never attended school or only attended Kindergarten</i>	2	0.2%			1	0.3%	1	0.1%			
	<i>Grades 1 - 8 (Elementary)</i>	28	2.5%			20	5.8%	8	1.0%			
	<i>Grades 9 - 11 (Some high school)</i>	127	11.3%			66	19.0%	61	7.8%			
	Grade 12 or GED (High School Graduate)	425	37.8%			133	38.3%	292	37.5%			
	College 1 yr. - 3 yrs. (Some college or techno. School)	272	24.2%			75	21.6%	197	25.3%			
	College 4 yrs or more (college graduate)	271	24.1%			52	15.0%	219	28.1%			
	<i>Rec-What is the highest grade or year of school you completed?</i>	1125	99.9%	1	0.1%	347	30.8%	778	69.2%	51.638 ^b	1	0.000
	Poor	157	14.0%			87	25.1%	70	9.0%	*50.308	1	0.000
	Adequate	968	86.0%			260	74.9%	708	91.0%			
13.8	Are you currently...? (employment)	1123	99.7%	3	0.3%	347	30.9%	776	69.1%	54.962 ^b	7	0.000
	Employed for wages	500	44.5%			167	48.1%	333	42.9%			
	Self-employed	64	5.7%			9	2.6%	55	7.1%			
	<i>Out of work for more than 1 yr.</i>	28	2.5%			18	5.2%	10	1.3%			
	<i>Out of work for less than 1 yr.</i>	47	4.2%			22	6.3%	25	3.2%			
	A Homemaker	50	4.5%			8	2.3%	42	5.4%			
	A Student	25	2.2%			11	3.2%	14	1.8%			
	Retired	333	29.7%			77	22.2%	256	33.0%			
	<i>Unable to work</i>	76	6.8%			35	10.1%	41	5.3%			
	<i>Rec-Are you currently...? (employment)</i>	1123	99.7%	3	0.3%	347	30.9%	776	69.1%	28.785 ^b	1	0.000
	Poor	151	13.4%			75	21.6%	76	9.8%	*27.778	1	0.000
	Adequate	972	86.6%			272	78.4%	700	90.2%			
13.9	Is your annual household income from all sources -	927	82.3%	199	17.7%	287	31.0%	640	69.0%	137.210 ^b	7	0.000
	<i>< \$10,000</i>	103	11.1%			61	21.3%	42	6.6%			
	<i>\$10,000 to < \$15,000</i>	106	14.0%			53	18.5%	53	8.3%			
	<i>\$15,000 to < \$20,000</i>	84	9.1%			38	13.2%	46	7.2%			
	<i>\$20,000 to < \$25,000</i>	56	6.0%			26	9.1%	30	4.7%			
	<i>\$25,000 to < \$35,000</i>	97	10.5%			30	10.5%	67	10.5%			
	\$35,000 to < \$50,000	139	15.0%			38	13.2%	101	15.8%			
	\$50,000 to < \$75,000	166	17.9%			32	11.1%	134	20.9%			
	\$75,000 or more	176	19.0%			9	3.1%	167	26.1%			
	<i>Rec-Is your annual household income from all sources -</i>	927	82.3%	199	17.7%	287	31.0%	640	69.0%	98.827 ^b	1	0.000
	Poor	446	48.1%			208	72.5%	238	37.2%	*97.419	1	0.000
	Adequate	481	51.9%			79	27.5%	402	62.8%			

^a 2 cells (16.7%) have expected count < 5 (minimum expected count varies per question)

^b 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

Recoded questions and respective data in blue

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
	N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
BMI calculations	1064	94.5%	62	5.5%	328	30.8%	736	69.2%	6.691^a	2	0.035
Neither Overweight or Obese	359	33.7%			97	29.6%	262	35.6%			
<i>Overweight</i>	<i>359</i>	<i>33.7%</i>			<i>107</i>	<i>32.6%</i>	<i>252</i>	<i>34.2%</i>			
<i>Obese</i>	<i>346</i>	<i>32.5%</i>			<i>124</i>	<i>37.8%</i>	<i>222</i>	<i>30.2%</i>			
<i>BMI calculations</i>	<i>1064</i>	<i>94.5%</i>	<i>62</i>	<i>5.5%</i>	<i>328</i>	<i>30.8%</i>	<i>736</i>	<i>69.2%</i>	<i>3.684^a</i>	<i>1</i>	<i>0.055</i>
Poor	705	66.3%			231	70.4%	474	64.4%	*3.419	1	0.064
Adequate	359	33.7%			97	29.6%	262	35.6%			
13.16 Gender of respondent	1126	100.0%	0	0.0%	348	30.9%	778	69.1%	.068^a	1	0.794
Female	699	62.1%			218	62.6%	481	61.8%	*0.038	1	0.845
Male	427	37.9%			130	37.4%	297	38.2%			
13.17 To your knowledge, are you now pregnant. [699 female]	233	20.7%	893	79.3%	91[218]	39.1%	142 [481]	60.9%	0.114^b	1	0.735
Yes	9	3.9%			4	4.4%	5	3.5%	*0	1	1.000
No	224	96.1%			67	95.6%	137	96.5%			
15.1 Have you ever had a mammogram? [699 females]	694	61.6%	432	38.4%	214 [218]	30.8%	480 [481]	69.2%	1.792^a	1	0.181
yes	516	74.4%			152	71.0%	364	75.8%	*1.549	1	0.213
no	178	25.6%			62	29.0%	116	24.2%			
15.2 How long has it been since you had your last mammogram? (If answered yes to 15.1 [516])	512	45.5%	614	54.5%	149 [152]	29.1%	363 [364]	70.9%	3.501^a	4	0.478
within the past yr. (1-12 months)	320	62.0%			88	59.1%	232	63.9%			
<i>within past 2 yrs. (1-2 yrs. ago)</i>	<i>93</i>	<i>18.2%</i>			<i>33</i>	<i>22.1%</i>	<i>60</i>	<i>16.5%</i>			
<i>within past 3 yrs (2-3 yrs. ago)</i>	<i>35</i>	<i>6.8%</i>			<i>10</i>	<i>6.7%</i>	<i>25</i>	<i>6.9%</i>			
<i>within past 5 yrs. (3-5 yrs ago)</i>	<i>25</i>	<i>4.9%</i>			<i>9</i>	<i>6.0%</i>	<i>16</i>	<i>4.4%</i>			
<i>5 or more yrs.</i>	<i>39</i>	<i>7.6%</i>			<i>9</i>	<i>6.0%</i>	<i>30</i>	<i>8.3%</i>			
<i>Rec-How long has it been since you had your last mammogram?</i>	<i>512</i>	<i>45.5%</i>	<i>614</i>	<i>54.5%</i>	<i>149</i>	<i>29.1%</i>	<i>363</i>	<i>70.9%</i>	<i>1.061^a</i>	<i>1</i>	<i>0.303</i>
Poor	192	37.5%			61	40.9%	131	36.1%	*0.864	1	0.353
Adequate	320	62.5%			88	59.1%	232	63.9%			
15.3 Have you ever had a clinical breast exam? [699]	694	61.6%	432	38.4%	216 [218]	31.1%	478 [481]	68.9%	15.403^a	1	0.000
yes	617	88.9%			177	81.9%	440	92.0%	*14.395	1	0.000
no	77	11.1%			39	18.1%	38	7.9%			

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^b 1 cells (25%) have expected count < 5 (minimum expected count varies per question)

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

[Red #] indicate potential # eligible respondents for question

Recoded questions and respective data in blue

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
15.4	How long has it been since your last breast exam? (If answered yes to 15.3 [617])	609	54.1%	517	45.9%	173 [177]	28.4%	436 [440]	71.6%	8.309 ^a	4	0.081
	within the past yr. (1-12 months)	442	72.6%			134	77.5%	308	70.6%			
	<i>within past 2 yrs. (1-2 yrs. ago)</i>	82	13.5%			23	13.3%	59	13.5%			
	<i>within past 3 yrs (2-3 yrs. ago)</i>	27	4.4%			7	4.0%	20	4.6%			
	<i>within past 5 yrs. (3-5 yrs ago)</i>	27	4.4%			7	4.0%	20	4.6%			
	<i>5 or more yrs.</i>	31	5.1%			2	1.2%	29	6.7%			
	<i>Rec-How long has it been since your last breast exam?</i>	609	54.1%	517	45.9%	173	28.4%	436	71.6%	2.89 ^a	1	0.089
	Poor	167	27.4%			39	22.5%	128	29.4%	*2.558	1	0.110
	Adequate	442	72.6%			134	77.5%	308	70.6%			
15.5	Have you ever had a Pap test? [699]	692	61.5%	434	38.5%	215 [218]	31.1%	477 [481]	68.9%	3.744 ^a	1	0.053
	yes	641	92.6%			193	89.8%	448	93.9%	*3.16	1	0.075
	no	51	7.4%			22	10.2%	29	6.1%			
15.6	How long has it been since you had your last Pap test? (If answered yes to 15.5) [641]	630	56.0%	496	44.0%	190 [193]	30.2%	440 [448]	69.8%	8.549 ^a	4	0.073
	within the past yr. (1-12 months)	410	65.1%			136	71.6%	274	62.3%			
	<i>within past 2 yrs. (1-2 yrs. ago)</i>	93	14.8%			25	13.2%	68	15.5%			
	<i>within past 3 yrs (2-3 yrs. ago)</i>	35	5.6%			9	4.7%	26	5.9%			
	<i>within past 5 yrs. (3-5 yrs ago)</i>	34	5.4%			11	5.8%	23	5.2%			
	<i>5 or more yrs.</i>	58	9.2%			9	4.7%	49	11.1%			
	<i>Rec-How long has it been since you had your last Pap test?</i>	630	56.0%	496	44.0%	190	30.2%	440	69.8%	5.057 ^a	1	0.025
	Poor	220	34.9%			54	28.4%	166	37.7%	*4.656	1	0.031
	Adequate	410	65.1%			136	71.6%	274	62.3%			
16.1	Have you ever had a PSA test (Prostate-Specific Antigen)? (females and males ≤ 39 yrs skip this section) [321= 699 females +106 males ≤ 39 yrs of age]	306	27.2%	820	72.8%	74	24.2%	232	75.8%	8.240 ^a	1	0.004
	yes	207	67.6%			40	54.1%	167	72.0%	*7.441	1	0.006
	no	99	32.4%			34	45.9%	65	28.0%			

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Recoded questions and respective data in blue

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
16.2	How long has it been since you had your last PSA test? (ask if answered yes to 16.1 [207])	206	18.3%	920	81.7%	40 [40]	19.4%	166 [167]	80.6%	6.016 ^a	4	0.198
	within the past yr. (1-12 months)	134	65.0%			21	52.5%	113	68.1%			
	<i>within past 2 yrs. (1-2 yrs. ago)</i>	38	18.4%			10	25.0%	28	16.9%			
	<i>within past 3 yrs (2-3 yrs. ago)</i>	10	4.9%			3	7.5%	7	4.2%			
	<i>within past 5 yrs. (3-5 yrs ago)</i>	14	6.8%			2	5.0%	12	7.0%			
	<i>5 or more yrs.</i>	10	4.9%			4	10.0%	6	3.6%			
	<i>Rec-How long has it been since you had your last PSA test?</i>	206	18.3%	920	81.7%	40	19.4%	166	80.6%	3.438 ^b	1	0.064
	Poor	72	35.0%			19	47.5%	53	31.9%	*2.787	1	0.095
	Adequate	134	65.0%			21	52.5%	113	68.1%			
16.3	Have you ever had a digital rectal exam? [321]	313	27.8%	813	72.2%	75	24.0%	238	76.0%	15.894 ^b	1	0.000
	yes	213	68.1%			37	49.3%	176	73.9%	*14.782	1	0.000
	no	100	31.9%			38	50.7%	62	26.1%			
16.4	How long has it been since your last digital rectal exam? (if answered yes to 16.3 [213])	211	18.7%	915	81.3%	37 [37]	17.5%	174 [176]	82.5%	7.781 ^a	4	0.100
	within the past yr. (anytime < then 12 months)	106	50.2%			16	43.2%	90	51.7%			
	<i>within past 2 yrs. (1 yr but < 2 yrs.)</i>	44	20.9%			6	16.2%	38	21.8%			
	<i>within past 3 yrs (2yrs. But < 3 yrs.)</i>	21	10.0%			8	21.6%	13	7.5%			
	<i>within past 5 yrs. (3 yrs. but < 5 yrs.)</i>	23	10.9%			3	8.1%	20	11.5%			
	<i>5 or more yrs.</i>	17	8.1%			4	10.8%	13	7.5%			
	<i>Rec-How long has it been since your last digital rectal exam?</i>	211	18.7%	915	81.3%	37	17.5%	174	82.5%	.878 ^b	1	0.349
	Poor	105	49.8%			21	56.8%	84	48.3%	*.571	1	0.450
	Adequate	106	50.2%			16	43.2%	90	51.7%			
16.5	Have you ever been told by a doctor, nurse or other health professional that you had prostate cancer? [321]	312	27.7%	814	72.3%	75	24.0%	237	76.0%	.022 ^b	1	0.881
	yes	22	7.1%			5	6.7%	17	7.2%	*0	1	1.000
	no	290	92.9%			70	93.3%	220	92.8%			
17.1	Have you ever had blood stool test using a home kit? (If respondent < 49 yrs. go to #18.1 [67]) [633 ≥ 50 yrs]	616	54.7%	510	45.3%	154 [162]	25.0%	462 [471]	75.0%	.002 ^b	1	0.962
	yes	251	40.7%			63	40.9%	188	40.7%	*0	1	1.000
	no	365	59.3%			91	59.1%	274	59.3%			

^a 3 cells (30%) have expected count < 5 (minimum expected count varies per question)

^b 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

[Red #] indicate potential # eligible respondents for question

Recoded questions and respective data in blue

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
17.2	How long has it been since you had you last blood stool test using a home kit? (If yes to 17.1 [62] [251])	244	21.7%	882	78.3%	63 [63]	25.8%	181 [188]	74.2%	11.257 ^a	3	0.010
	within past year	100	41.0%			36	57.1%	64	35.4%			
	<i>within past 2 yrs</i>	53	21.7%			11	17.5%	42	23.2%			
	<i>within past 5 yrs</i>	52	21.3%			12	19.0%	40	22.1%			
	<i>5 or more yrs ago</i>	39	16.0%			4	6.3%	35	19.3%			
	<i>Rec-How long has it been since you had you last blood stool test using a home kit?</i>	244	21.7%	882	78.3%	63	25.8%	181	74.2%	9.169 ^a	1	0.002
	Poor	144	59.0%			27	42.9%	117	64.6%	*8.29	1	0.004
	Adequate	100	41.0%			36	57.1%	64	35.4%			
17.3	Have you ever had a sigmoidoscopy or colonoscopy exam? [633 ≥ 50 yrs]	616	54.7%	510	45.3%	154 [162]	25.0%	462 [471]	75.0%	5.673 ^a	1	0.017
	yes	335	54.4%			71	46.1%	264	57.1%	*5.237	1	0.020
	no	281	45.6%			83	53.9%	198	42.9%			
17.4	How long has it been since you had your last sigmoidoscopy or colonoscopy? (If yes to 17.3 [65] [335])	334	29.7%	792	70.3%	71 [71]	21.3%	263 [264]	78.7%	.437 ^a	3	0.932
	within past year	120	35.9%			27	38.0%	93	35.4%			
	within past 2 yrs	76	22.8%			17	23.9%	59	22.4%			
	within past 5 yrs	95	28.4%			19	26.8%	76	28.9%			
	<i>5 or more yrs ago</i>	43	12.9%			8	11.3%	35	13.3%			
	<i>Rec-How long has it been since you had your last sigmoidoscopy or colonoscopy?</i>	334	29.7%	792	70.3%	71	21.3%	263	78.7%	0.208 ^a	1	0.649
	Poor	43	12.9%			8	11.3%	35	13.3%	*0.065	1	0.798
	Adequate	291	87.1%			63	88.7%	228	86.7%			
18.1	If ♀ & > 45yrs, hysterectomy, pregnant, or ♂ > 60 yrs. skip section 18. Are you or partner doing anything to keep from getting pregnant?	496	44.0%	630	56.0%	186	37.5%	310	62.5%	7.649 ^a	3	0.054
	yes	271	54.6%			89	47.8%	182	58.7%			
	no	104	21.0%			41	22.0%	63	20.3%			
	no partner/not sexually active	114	23.0%			54	29.0%	60	19.4%			
	same sex partner	7	1.4%			2	1.1%	5	1.6%			
	<i>Rec-Are you or partner doing anything to keep from getting pregnant?</i>	496	44.0%	630	56.0%	186	37.5%	310	62.5%	0.208 ^a	1	0.649
	Poor	104	21.0%			41	22.0%	63	20.3%	*0.117	1	0.733
	Adequate	392	79.0%			145	78.0%	247	79.7%			

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

Responses in orange categorized as "poor"

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Recoded questions and respective data in blue

[Red #] indicate potential # eligible respondents for question

Appendix C: BRFSS Analysis - All Questions

BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
	N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
18.2 What are you or your partner doing now to keep from getting pregnant? (if yes to 18.1)	263	23.4%	863	76.6%	86	32.7%	177	67.3%	44.188 ^a	13	0.000
18.3 What is your main reason for not doing anything to keep from getting pregnant? (if no to 18.1)	78	6.9%	1048	93.1%	33	42.3%	45	57.7%	9.668 ^b	1	0.522
18.4 How do you feel about having a child now or sometime in the future? Would you say:	220	19.5%	906	80.5%	79	35.9%	141	64.1%	2.840 ^c	2	0.242
19.1 Are you limited in any way in any activities because of physical, mental, or emotional problems?	1112	98.8%	14	1.2%	341	30.7%	771	69.3%	.004 ^c	1	0.948
yes	266	23.9%			82	24.0%	184	23.9%	*0.000	1	1.000
no	846	76.1%			259	76.0%	587	76.1%			
19.2 Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?	1113	98.8%	13	1.2%	343	30.8%	770	69.2%	2.781 ^c	1	0.095
yes	147	13.2%			54	15.7%	93	12.1%	*2.471	1	0.116
no	966	86.8%			289	84.3%	677	87.9%			
20.1 <i>If ≥ 65 yr old, skip section 20</i> Pregnant woman w/ HIV can get Tx to help reduce chances that she will pass virus on to her baby. [802]	620	55.1%	506	44.9%	218 [270]	35.2%	402 [532]	64.8%	.007 ^c	1	0.932
TRUE	488	78.7%			172	78.9%	316	78.6%	*0.000	1	1.000
FALSE	132	21.3%			46	34.8%	86	21.4%			
20.2 There are medical Tx available intended to help person who is infected with HIV to live longer. [802]	745	66.2%	381	33.8%	248 [270]	33.3%	497 [532]	66.7%	4.891 ^c	1	0.027
TRUE	714	95.8%			232	93.5%	482	97.0%	*4.068	1	0.044
FALSE	31	4.2%			16	6.5%	15	3.0%			
20.3 Have you ever been tested for HIV? [802]	781	69.4%	345	30.6%	262 [270]	33.5%	519 [532]	66.5%	23.319 ^c	1	0.000
yes	382	48.9%			160	61.1%	222	42.8%	*22.592	1	0.000
no	399	51.1%			102	38.9%	297	57.2%			

^a 16 cells (57.1%) have expected count < 5 (minimum expected count varies per question)

^b 22 cells (84.6%) have expected count < 5 (minimum expected count varies per question)

^c 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)					
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)			
20.4	In the past 12 months, how many times have you been tested for HIV, including times you did not get your results: (asked if answered yes to 20.3) [382]	374	33.2%	752	66.8%	157 [160]	42.0%	217 [222]	58.0%	30.574 ^a	4	0.000			
	once	117	31.3%			64	40.8%	53	24.4%						
	twice	26	7.0%			18	11.5%	8	3.7%						
	3-4 times	3	0.8%			2	1.3%	1	0.5%						
	5 or more times	5	1.3%			4	2.5%	1	0.5%						
	none	223	59.6%			69	43.9%	154	71.0%						
	Rec-In the past 12 months, how many times have you been tested for HIV, including times you did not get your results:	374	33.2%	752	66.8%	157	42.0%	217	58.0%				27.623 ^b	1	0.000
Poor	151	40.4%			88	56.1%	63	29.0%	*26.513	1	0.000				
Adequate	223	59.6%			69	43.9%	154	71.0%							
20.6	What was the MAIN reason for your last HIV test? (asked if answered yes to 20.3) [382]	373	33.1%	753	66.9%	156 [160]	41.8%	217 [222]	58.2%	28.706 ^c	7	0.000			
	It was required	77	20.6%			17	10.9%	60	27.6%						
	someone suggested you should be tested	12	3.2%			5	3.2%	7	3.2%						
	you thought you may have gotten HIV through sex or drug use	13	3.5%			6	3.8%	7	3.2%						
	you just wanted to find out whether you had HIV	82	22.0%			48	30.8%	34	15.7%						
	you were worried that you could give HIV to someone	2	0.5%			0	0.0%	2	0.9%						
	you were pregnant (females only)	69	18.5%			22	14.1%	47	21.7%						
	it was done as a part of a routine medical check-up or you were tested for some other reason	94	25.2%			46	29.5%	48	22.1%						
	Rec-What was the MAIN reason for your last HIV test?	373	33.1%	753	66.9%	156	41.8%	217	58.2%				9.584 ^b	1	0.002
	Poor	109	29.2%			59	37.8%	50	23.0%				*8.883	1	0.003
Adequate	264	70.8%			97	62.2%	167	77.0%							
20.7	Where did you have your last HIV test? (asked if answered yes to 20.3)	365	32.4%	761	67.6%	156	42.7%	209	57.3%	9.727 ^d	7	0.205			
20.8	What type of clinic did you go to for your last HIV test? (asked if answered yes to 20.3)	67	6.0%	1059	94.0%	28	41.8%	39	58.2%	8.148 ^f	6	0.227			
20.9	Was the test done by a nurse or other health worker, or with a home testing kit? (asked if answered yes to 20.3)	77	6.8%	1049	93.2%	30	39.0%	47	61.0%	0.105 ^g	1	0.746			
										*0.000	1	1.000			

^a 4 cells (40%) have expected count < 5 (minimum expected count varies per question)

^b 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^c 2 cells (12.5%) have expected count < 5 (minimum expected count varies per question)

^d 5 cells (31.3%) have expected count < 5 (minimum expected count varies per question)

^f 8 cells (57.1%) have expected count < 5 (minimum expected count varies per question)

^g 2 cells (50%) have expected count < 5 (min. expected count varies/question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Recoded questions and respective data in blue

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
20.10	HIV risk factors - any apply to respondent? (asked regardless of response to 20.3) [802]	773	68.7%	353 [29]	31.3%	257 [270]	33.2%	516 [532]	66.8%	9.812 ^a	1	0.002
	yes	46	6.0%			25	9.7%	21	4.1%	*8.827	1	0.003
	no	727	94.0%			232	90.3%	495	95.9%			
20.11	Past 12 months, has Dr., nurse, or other health professional talked to you about preventing STD through condom use? [802]	777	69.0%	349 [25]	31.0%	256 [270]	32.9%	521 [532]	67.1%	40.235 ^a	1	0.000
	yes	121	15.6%			70	27.3%	51	9.8%	*38.911	1	0.000
	no	656	84.4%			186	72.7%	470	90.2%			
21.1	Are any firearms kept in or around your home?	1101	97.8%	25	2.2%	338	30.7%	763	69.3%	1.849 ^a	1	0.174
	yes	101	9.2%			25	7.4%	76	10.0%	*1.554	1	0.213
	no	1000	90.8%			313	92.6%	687	90.0%			
21.2	Are any of these firearms now loaded?	99	8.8%	1027	91.2%	24	24.2%	75	75.8%	10.279 ^a	1	0.001
	yes	25	25.3%			12	50.0%	13	17.3%	*8.621	1	0.003
	no	74	74.7%			12	50.0%	62	82.7%			
M.3-1	Have you ever been told by a doctor, nurse, or other health professional that you have HTN?	1108	98.4%	18	1.6%	338	30.5%	770	69.5%	2.088 ^a	2	0.352
	yes	460	41.5%			147	43.5%	313	40.6%			
	yes, but female told only during pregnancy	46	4.2%			17	5.0%	29	3.8%			
	no	602	54.3%			174	51.5%	428	55.6%			
	<i>Rec-Have you ever been told by a doctor, nurse, or other health professional that you have HTN?</i>	1108	98.4%	18	1.6%	338	30.5%	770	69.5%	1.595 ^a	1	0.207
	Poor	506	45.7%			164	48.5%	342	44.4%	*1.434	1	0.231
	Adequate	602	54.3%			174	51.5%	428	55.6%			
M.3-2	Are you currently taking medicine for your HTN? (asked if responded yes to Mod 3-1 (85)). [460]	461	40.9%	665	59.1%	146 [147]	31.7%	315 [313]	68.3%	.261 ^a	1	0.610
										*0.138	1	0.710
M.4-1	Have you ever had your blood cholesterol checked?	1097	97.4%	29	2.6%	335	30.5%	762	69.5%	20.542 ^a	1	0.000
	yes	935	85.2%			261	77.9%	674	88.5%	*19.713	1	0.000
	no	162	14.8%			74	22.1%	88	11.5%			
M.4-3	Have you ever been told by health care prof. that your blood cholesterol is high? (asked if answered yes to 4-1[87]).[935]	920	81.7%	206 [15]	18.3%	254 [261]	27.6%	666 [674]	72.4%	2.856 ^a	1	0.091
	yes	374	40.7%			92	36.2%	282	42.3%	*2.608	1	0.106
	no	546	59.3%			162	63.8%	384	57.7%			

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
M.5-1	How many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?	1102	97.9%	24	2.1%	335	30.4%	767	69.6%	8.692^a	4	0.069
	1-2 days	58	5.3%			21	6.3%	37	4.8%			
	3-7 days	64	5.8%			14	4.2%	50	6.5%			
	8-14 days	35	3.2%			17	5.1%	18	2.3%			
	15-30 days	178	16.2%			54	16.1%	124	16.2%			
	None	767	69.6%			229	68.4%	538	70.1%			
	<i>Rec-How many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?</i>	1102	97.9%	24	2.1%	335	30.4%	767	69.6%	0.014 ^a	1	0.905
Poor	277	25.1%			85	25.4%	192	25.0%	*0.002	1	0.965	
Adequate	825	74.9%			250	74.6%	575	75.0%				
M.5-2	How many days have you felt sad, blue, or depressed?	1100	97.7%	26	2.3%	338	30.7%	762	69.3%	8.421^a	4	0.077
	1-2 days	113	10.3%			28	8.3%	85	11.2%			
	3-7 days	101	9.2%			30	8.9%	71	9.3%			
	8-14 days	44	4.0%			19	5.6%	25	3.3%			
	15-30 days	124	11.3%			47	13.9%	77	10.1%			
	None	718	65.3%			214	63.3%	504	66.1%			
	<i>Rec-How many days have you felt sad, blue, or depressed?</i>	1100	97.7%	26	2.3%	338	30.7%	762	69.3%	4.116 ^a	1	0.420
Poor	269	24.5%			96	28.4%	173	22.7%	*3.814	1	0.510	
Adequate	831	75.5%			242	71.6%	589	77.3%				
M.5-3	How many days have you felt worried, tense, or anxious?	1091	96.9%	35	3.1%	335	30.7%	756	69.3%	12.684^a	4	0.013
	1-2 days	136	12.5%			32	9.6%	104	13.8%			
	3-7 days	138	12.6%			37	11.0%	101	13.4%			
	8-14 days	57	5.2%			12	3.6%	45	6.0%			
	15-30 days	182	16.7%			51	15.2%	131	17.3%			
	None	578	53.0%			203	60.6%	375	49.6%			
	<i>Rec-How many days have you felt worried, tense, or anxious?</i>	1091	96.9%	35	3.1%	335	30.7%	756	69.3%	4.732 ^a	1	0.030
Poor	377	34.6%			100	29.9%	277	36.6%	*4.436		0.035	
Adequate	714	65.4%			235	70.1%	479	63.4%				
M.6-1	Is your home heated w/ furnace or boiler that burns oil, gas, coal, or other fuel?	1076	95.6%	50	4.4%	327	30.4%	749	69.6%	.244^a	1	0.621

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

Responses in orange categorized as "poor"

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
M.6-2	Does your home have any of the following appliances powered by natural gas: a stove, an oven, a water heater, or a clothes dryer?	1090	96.8%	36	3.2%	331	30.4%	759	69.6%	2.585 ^a	1	0.108
M.6-3	How many days have you used a wood or coal stove, fireplace, or kerosene heater inside your home?	1097	97.4%	29	2.6%	332	30.3%	765	69.7%	20.61 ^b	6	0.002
M.6-4	Do you have a CO detector in your home?	1079	95.8%	47	4.2%	327	30.3%	752	69.7%	.455 ^a	1	0.500
M.6-5	Do you currently have mold in your home on an area greater than the size of a dollar bill?	1037	92.1%	89	7.9%	316	30.5%	721	69.5%	.217 ^a	1	0.641
M.6-6	Does your home have asbestos wrapped on water pipes or heating pipes?	928	82.4%	198	17.6%	284	30.6%	644	69.4%	18.072 ^a	1	0.000
	yes	72	7.8%			38	13.4%	34	5.3%	*16.958	1	0.000
	no	856	92.2%			246	86.6%	610	94.7%			
M.7-2	Best describes the water that you drink at home most often?	1100	97.7%	26	2.3%	332	30.2%	768	69.8%	114.638 ^a	3	0.000
	unfiltered tap water	364	33.1%			56	16.9%	308	40.1%			
	filtered tap water	272	24.7%			57	17.2%	215	28.0%			
	bottle or vended water	438	39.8%			210	63.3%	228	29.7%			
	water from another source	26	2.4%			9	2.7%	17	2.2%			
	Best describes the water that you drink at home most often?	1100	97.7%	26	2.3%	332	30.2%	768	69.8%	110.275 ^a	1	0.000
	Poor	464	42.2%			219	66.0%	245	31.9%	*108.883	1	0.000
	Adequate	636	57.8%			113	34.0%	523	68.1%			
CC	If drinking water is from private well, have you had it sampled by a state certified lab in the last 2-yrs.	146	13.0%	980	87.0%	25	17.1%	121	82.9%	1.217 ^c	2	0.544
M.10-1	How many of the children living in you home have ever been diagnosed with asthma? (reference #children living in house from Q13.6) [368]	364	32.3%	762		131 [133]	36.0%	233 [235]	64.0%	.727 ^d	3	0.867
	Poor (one or more)	94	25.8%			37	28.2%	57	24.5%	0.626 ^a	1	0.429
	Adequate (none)	270	74.2%			94	71.8%	176	75.5%	*0.444	1	0.505

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^b 6 cells (42.9%) have expected count < 5 (minimum expected count varies per question)

^c 2 cells (33.3%) have expected count < 5 (minimum expected count varies per question)

^d 2 cells (25%) have expected count < 5 (minimum expected count varies per question)

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

[Red #] indicate potential # eligible respondents for question

Recorded questions and respective data in blue

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
CC.4	In the past 12 months, how many times did you visit an emergency room or urgent care center because of your child's asthma. (if respond positively to module10-1)			1034								
	[94]	92	8.2%	[2]	91.8%	36 [37]	39.1%	56 [57]	60.9%	7.573 ^a	4	0.109
	once	9	9.8%			3	8.3%	6	10.7%			
	twice	9	9.8%			6	16.7%	3	5.4%			
	3-4 times	5	5.4%			2	5.6%	3	5.4%			
	5 or more times	5	5.4%			4	11.1%	1	1.8%			
	none	64	69.6%			21	58.3%	43	76.8%			
	Poor	28	30.4%			15	41.7%	13	23.2%	3.524 ^a	1	0.060
	Adequate	64	69.6%			21	58.3%	43	76.8%	*2.706	1	0.100
M.12-1	Module 12-1 Cardiovascular Dz - To lower risk of developing heart dz or stroke are you -											
M12-1a	Are you eating fewer high fat or high cholesterol foods?	1077	95.6%	49	4.4%	326	30.3%	751	69.7%	5.838 ^b	1	0.016
	yes	746	69.3%			209	64.1%	537	71.5%	*5.496	1	0.019
	no	331	30.7%			117	35.9%	214	28.5%			
M12-1b	Eating more fruits and vegetables?	1097	97.4%	29	2.6%	333	30.4%	764	69.6%	8.490 ^b	1	0.004
	yes	439	40.0%			155	46.5%	284	37.2%	*8.103	1	0.004
	no	658	60.0%			178	53.5%	480	62.8%			
M12-1c	More physically active?	1088	96.6%	38	3.4%	331	30.4%	757	69.6%	4.737 ^b	1	0.030
	yes	443	40.7%			151	45.6%	292	38.6%	*4.449	1	0.035
	no	645	59.3%			180	54.4%	465	61.4%			
M.12-2	Module 12-2 has a Dr. or nurse... told you to -											
M12-2a	Eat fewer high-fat or high-cholesterol foods?	1096	97.3%	30	2.7%	333	30.4%	763	69.6%	2.317 ^b	1	0.128
	yes	401	36.6%			133	39.9%	268	35.1%	*2.114	1	0.146
	no	695	63.4%			200	60.1%	495	64.9%			
M12-2b	Eat more fruits and vegetables?	1097	97.4%	29	2.6%	331	30.2%	766	69.8%	.203 ^b	1	0.652
	yes	910	83.0%			272	82.2%	638	83.3%	*0.132	1	0.716
	no	187	17.0%			59	17.8%	128	16.7%			
M12-2c	Be more physically active?	1092	97.0%	34	3.0%	331	30.3%	761	69.7%	.051 ^b	1	0.821
	yes	764	70.0%			230	69.5%	534	70.2%	*0.024	1	0.877
	no	328	30.0%			101	30.5%	227	29.8%			

^a 6 cells (60%) have expected count < 5 (minimum expected count varies per question)

^b 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Recoded questions and respective data in blue

Appendix C: BRFSS Analysis - All Questions

	BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
		N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
M.12-3	Module 12-3 have you been told by Dr. that you had any of the following:											
M12-3a	Heart attack	1093	97.1%	33	2.9%	331	30.3%	762	69.7%	2.778 ^a	1	0.096
	yes	70	6.4%			15	4.5%	55	7.2%	*2.348	1	0.125
	no	1023	93.6%			316	95.5%	707	92.8%			
M12-3b	Angina or Coronary Heart Disease	1096	97.3%	30	2.7%	333	30.4%	763	69.6%	2.979 ^a	1	0.084
	yes	82	7.5%			18	5.4%	64	8.4%	*2.564	1	0.109
	no	1014	92.5%			315	94.6%	699	91.6%			
M12-3c	Stroke	1098	97.5%	28	2.5%	333	30.3%	765	69.7%	.321 ^a	1	0.571
	yes	47	4.3%			16	4.8%	31	4.1%	*0.163	1	0.686
	no	1051	95.7%			317	95.2%	734	95.9%			
M.13-4	At what age did you have first heart attack? (If yes to Q3a) [70]	62	5.5%	1064 [8]	94.5%	13 [15]	21.0%	49 [55]	79.0%	14.675 ^b	5	0.012
M.13-5	What age did you have first stroke? (If yes to Q3c) [47]	43	3.8%	1083 [4]	96.2%	15 [16]	34.9%	28 [31]	65.1%	7.566 ^b	5	0.182
CC.1	Do you physically care for another person (i.e. fulfill role as caregiver for someone who is physically or mentally disabled)?	1099	97.6%	27	2.4%	333	30.3%	766	69.7%	18.135 ^a	1	0.000
	yes	159	14.5%			71	21.3%	88	14.5%	*17.349	1	0.000
	no	940	85.5%			262	78.7%	678	85.5%			
CC.3	In the past five years, have you been a victim of a violent crime?	1093	97.1%	33	2.9%	329	30.1%	764	69.9%	27.757 ^a	1	0.000
	Yes	42	3.8%			28	8.5%	14	1.8%	*25.979	1	0.000
	No	1051	96.2%			301	91.5%	750	98.2%			
CC.4	In the past five years, have you been a victim of property crime?	1092	97.0%	34	3.0%	328	30.0%	764	70.0%	8.355 ^a	1	0.004
	Yes					56	17.1%	82	12.6%	*7.791	1	0.005
	No					272	82.9%	682	87.4%			

^a 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^b 9 cells (75%) have expected count < 5 (minimum expected count varies per question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Appendix C: BRFSS Analysis - All Questions

BRFSS 2005 Camden Co Questions	Total		Missing		CC		RC		Chi-Square (Pearson)		
	N = 1126	%	N	%	N = 348	%	N = 778	%	Value	df	Asymp. Sig. (2-sided)
CC.5 What is your primary source of transportation?	1092	97.0%	34	3.0%	331	30.3%	761	69.7%	162.773^a	4	0.000
own car	885	81.0%			201	60.7%	684	89.9%			
<i>public bus or train</i>	<i>131</i>	<i>12.0%</i>			<i>100</i>	<i>30.2%</i>	<i>31</i>	<i>4.1%</i>			
<i>taxi</i>	<i>2</i>	<i>0.2%</i>			<i>2</i>	<i>0.6%</i>	<i>0</i>	<i>0.0%</i>			
<i>transported by friend, neighbor, or relative</i>	<i>66</i>	<i>6.0%</i>			<i>24</i>	<i>7.3%</i>	<i>42</i>	<i>5.5%</i>			
<i>do not have a source of transportation</i>	<i>8</i>	<i>0.7%</i>			<i>4</i>	<i>1.2%</i>	<i>4</i>	<i>0.5%</i>			
<i>Rec-What is your primary source of transportation?</i>	<i>1092</i>	<i>97.0%</i>	<i>34</i>	<i>3.0%</i>	<i>331</i>	<i>30.3%</i>	<i>761</i>	<i>69.7%</i>	<i>127.643^b</i>	<i>1</i>	<i>0.000</i>
Poor	207	19.0%			130	39.3%	77	10.1%	*125.752	1	0.000
Adequate	885	81.0%			201	60.7%	684	89.9%			
CC.6 If don't have own means of transportation, do you think public transportation is accessible? (if answered other than own car in CC.5) [207]	208	18.5%	918	81.5%	130 [130]	62.5%	78 [77]	37.5%	8.110^b	2	0.017
yes	148	71.2%			101	77.7%	47	60.3%			
no	40	19.2%			21	16.2%	19	24.4%			
<i>I don't use public transportation</i>	<i>20</i>	<i>9.6%</i>			<i>8</i>	<i>6.2%</i>	<i>12</i>	<i>15.4%</i>			
<i>Rec-If don't have own means of transportation, do you think public transportation is accessible?</i>	<i>208</i>	<i>18.5%</i>	<i>918</i>	<i>81.5%</i>	<i>130</i>	<i>62.5%</i>	<i>78</i>	<i>37.5%</i>	<i>7.221^b</i>	<i>1</i>	<i>0.007</i>
Poor	60	28.8%			29	22.3%	31	39.7%	*6.396	1	0.011
Adequate	148	71.2%			101	77.7%	47	60.3%			
CC.12 Do you ever go without food to pay other bills?	1083	96.2%	43	3.8%	324	29.9%	759	70.1%	44.055^c	3	0.000
never	949	87.6%			251	77.5%	698	92.0%			
<i>rarely</i>	<i>98</i>	<i>9.0%</i>			<i>53</i>	<i>16.4%</i>	<i>45</i>	<i>5.9%</i>			
<i>most of the time</i>	<i>34</i>	<i>3.1%</i>			<i>19</i>	<i>5.9%</i>	<i>15</i>	<i>2.0%</i>			
<i>always</i>	<i>2</i>	<i>0.2%</i>			<i>1</i>	<i>0.3%</i>	<i>1</i>	<i>0.1%</i>			
<i>Rec-Do you ever go without food to pay other bills?</i>	<i>1083</i>	<i>96.2%</i>	<i>43</i>	<i>3.8%</i>	<i>324</i>	<i>29.9%</i>	<i>759</i>	<i>70.1%</i>	<i>43.997^b</i>	<i>1</i>	<i>0.000</i>
Poor	134	12.4%			73	22.5%	61	8.0%	*42.67	1	0.000
Adequate	949	87.6%			251	77.5%	698	92.0%			

^a 3 cells (30%) have expected count < 5 (minimum expected count varies per question)

^b 0 cells (0%) have expected count < 5 (minimum expected count varies per question)

^c 2 cells (25%) have expected count < 5 (minimum expected count varies per question)

[Red #] indicate potential # eligible respondents for question

* Yates' Correction for Continuity chi-square values (highlighted in yellow)

Responses in orange categorized as "poor"

Recoded questions and respective data in blue