

Appendix H: Statistical significant data summary grouped by category

<i>General Health Status</i>		Camden City (CC)						Remainder of County (RC)					
		Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
1.1	In general, self-reported health status is... (Poor = fair, poor; Adequate = excellent, good, very good)	103	30%	243	70%	346	29.77	153	20%	623	80%	776	80.3

<i>Healthy Days - Health Related Quality of Life</i>		Camden City (CC)						Remainder of County (RC)					
		Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
M7.2	Best describes drinking water at home... (Poor = bottle, vended or other source; Adequate = tap water)	219	66%	113	34%	332	65.96	245	32%	523	68%	768	31.90
CC12	Do you ever go without food to pay other bills? (Poor = Yes; Adequate = No)	73	23%	251	78%	324	22.53	61	8%	698	92%	759	8.04
CC1	Do you physically care for another person...? (Poor = Yes; Adequate = No)	71	21%	262	79%	333	21.32	88	15%	678	86%	766	11.49
4.1	Participate in physical activities in past 30 days (Poor = No; Adequate = Yes)	137	39%	211	61%	348	39.37	195	25%	580	75%	775	25.16
2.3	How many days ... physical or mental keep from activities... (Poor = 3-30 days; Adequate = 0-2 days)	76	47%	86	53%	162	53.09	213	62%	130	38%	343	37.90
2.1	How many days in past 30 was your physical health not good? (Poor = 3-30 days; Adequate = 0-2 days)	117	34%	225	66%	342	34.21	201	26%	568	74%	769	26.14
2.2	How many days in past 30 was your mental health not good? (Poor = 3-30 days; Adequate = 0-2 days)	82	24%	262	76%	344	23.84	136	18%	632	82%	768	17.71
M5.3	How many days...worried, tense, anxious (Poor 1-30 days; Adequate = none)	132	39%	203	61%	335	39.40	381	50%	375	50%	756	50.40

<i>Healthy Days - Health Related Quality of Life</i>		Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
		asymp. Sig.			Upper	Lower
M7.2	Best describes drinking water at home...	0.000	2.07	4.14	3.15	5.43
CC12	Do you ever go without food to pay other bills?	0.000	2.80	3.33	2.30	4.81
CC1	Do you physically care for another person...?	0.000	1.86	2.09	1.48	2.94
4.1	Participate in physical activities in past 30 days	0.000	1.56	1.93	1.48	2.53
2.3	How many days ... physical or mental	0.002	1.40	1.85	1.27	2.70
2.1	How many days in past 30 was your physical health not good?	0.007	1.31	1.47	1.12	1.93
2.2	How many days ... mental health	0.022	1.35	1.45	1.06	1.98
M5.3	How many days...worried, tense, anxious	0.001	0.78	0.64	0.49	0.83

Appendix H: Statistical significant data summary grouped by category

<i>Health Care Access</i>	Camden City						Remainder of County					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
CC.5 Your primary source of transportation (Poor = None, someone else, public, taxi; Good = own car)	130	39%	201	61%	331	39.27	77	10%	684	90%	761	10.12%
3.1 Have some form of health care coverage (Poor = No ; Adequate/Good = Yes)	72	21%	272	79%	344	20.93	67	9%	709	91%	776	8.63%
3.3 Did not see a doctor when needed due to cost (Poor = Yes; Good = No)	76	22%	269	78%	345	22.03	91	12%	685	88%	776	11.73%
CC2 Gone without prescription because of cost (Poor = Yes; Good = No)	102	30%	244	71%	346	29.48	139	18%	635	82%	774	17.96%
3.2 Have one person think of as personal doctor (Poor = No, more than one; Good = Yes)	75	22%	271	78%	346	21.68	115	15%	662	85%	777	14.80%
CC.6 Think public transportation is accessible (no car) (Poor = No or don't use; Good = Yes)	29	22%	101	78%	130	22.31	31	40%	47	60%	78	39.74%

<i>Health Care Access</i>	Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
	asyp. Sig.			Upper	Lower
CC5 Your primary source of transportation	0.000	3.88	5.75	4.16	7.93
3.1 Have some form of health care coverage	0.000	2.42	2.80	1.95	4.01
3.3 Did not see a doctor when needed due to cost	0.000	1.88	2.13	1.52	2.97
CC2 Gone without prescription because of cost	0.000	1.64	1.91	1.42	2.56
3.2 Have one person think of as personal doctor	0.006	1.46	1.59	1.15	2.20
CC6 Think public transportation is accessible (no car)	0.011	0.56	0.44	0.24	0.80

Appendix H: Statistical significant data summary grouped by category

<i>Substance Use</i>	Camden City (CC)						Remainder of County (RC)					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
8.2 Drinks consumed per occasion (Poor = 3 or more; Good = 2 or less)	33	38%	55	63%	88	37.50	76	20%	304	80%	380	20.00
7.2 Smoke cigarettes now (Poor = Every/some days; Good = No)	84	57%	64	43%	148	56.76	161	41%	229	59%	390	41.28
7.1 Smoked at least 100 cigarettes in your entire life (Poor = Yes; Adequate/Good = No)	148	43%	198	57%	346	42.77	391	50%	385	50%	776	50.39
8.1 No. days per week/month, have an alcoholic drink (Poor = 3 or more times; Good = 2 or less)	23	7%	324	93%	347	6.63	85	11%	691	89%	776	10.95

<i>Substance Use</i>	Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
	asyp. Sig.			Upper	Lower
8.2 Drinks consumed per occasion	0.001	1.88	2.40	1.46	3.94
7.2 Smoke cigarettes now	0.002	1.37	1.87	1.27	2.73
7.1 Smoked at least 100 cigarettes in your entire life	0.022	0.85	0.74	0.57	0.95
8.1 No. days per week/month, have an alcoholic drink	0.031	0.61	0.58	0.36	0.93

<i>Oral Health</i>	Camden City (CC)						Remainder of County (RC)					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
11.3 Likelihood of having teeth cleaned in previous yr. (Poor = more than 1 year; Adequate/Good = in past year)	140	47%	160	53%	300	46.67	200	29%	497	71%	697	28.69
11.1 Visit to dentist/dental clinic in past year (Poor = more than 1 year; Adequate/Good = in past year)	140	41%	202	59%	342	40.94	228	30%	542	70%	770	29.61
11.2 No. teeth removed due to decay or gum disease (Poor = 1 or more; Good = None)	235	69%	105	31%	340	69.12	470	62%	293	38%	763	61.60

<i>Oral Health</i>	Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
	asyp. Sig.			Upper	Lower
11.3 Likelihood of having teeth cleaned in previous yr.	0.000	1.63	2.17	1.64	2.88
11.1 Visit to dentist/dental clinic in past year	0.000	1.38	1.65	1.26	2.15
11.2 No. teeth removed due to decay or gum disease	0.020	1.12	1.40	1.06	1.83

Appendix H: Statistical significant data summary grouped by category

	Camden City (CC)						Remainder of County (RC)					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
16.3 Have ever received a digital exam (Poor = No; Adequate/Good = Yes)	38	51%	37	49%	75	50.67	62	26%	176	74%	238	26.05
16.1 Males \geq 40 yrs of age and had a PSA test (Poor = No; Adequate/Good = Yes)	34	46%	40	54%	74	45.95	65	28%	167	72%	232	28.02
17.3 Have had a sigmoidoscopy or colonoscopy exam (Poor = No; Adequate/Good = Yes)	83	54%	71	46%	154	53.90	198	43%	264	57%	462	42.86
17.2 Last blood stool test (\geq 50 yr) using home kit (Poor = 13 months or more; Good = 12 or less months)	27	43%	36	57%	63	42.86	117	65%	64	35%	181	64.64

Preventive Health Screenings	Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
	asyp. Sig.			Upper	Lower
16.3 Have ever received a digital exam	0.000	1.94	2.92	1.71	4.97
16.1 Males \geq 40 yrs of age and had a PSA test	0.006	1.64	2.18	1.28	3.73
17.3 Have had a sigmoidoscopy or colonoscopy exam	0.020	1.26	1.56	1.08	2.25
17.2 Last blood stool test (\geq 50 yr) using home kit	0.004	0.66	0.41	0.23	0.73

	Camden City (CC)						Remainder of County (RC)					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
M4-1 Have had blood cholesterol checked (Poor =No; Adequate/Good = Yes)	74	22%	261	78%	335	22.09	88	12%	674	89%	762	11.55
12-1a Eat fewer high fat or high cholesterol foods (Poor = No; Adequate/Good = Yes)	117	36%	209	64%	326	35.89	214	29%	537	72%	751	28.50
12-1c More physically active (Poor = No; Adequate/Good = Yes)	180	54%	151	46%	331	54.38	465	61%	292	39%	757	61.43
12-1b Eat more fruits and vegetables (Poor = No; Adequate/Good = Yes)	178	54%	155	47%	333	53.45	480	63%	284	37%	764	62.83

Cardiovascular Health	Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
	asyp. Sig.			Upper	Lower
M4-1 Have had blood cholesterol checked	0.000	1.91	2.17	1.55	3.05
12-1a Eat fewer high fat or high cholesterol foods	0.019	1.26	1.40	1.07	1.85
12-1c More physically active	0.035	0.89	0.75	0.58	0.97
12-1b Eat more fruits and vegetables	0.004	0.85	0.68	0.52	0.88

Appendix H: Statistical significant data summary grouped by category

<i>HIV / AIDS (<65 yrs. of age)</i>		Camden City (CC)					Remainder of County (RC)						
		Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
20.11	Health care professional discussed STD prevention (Poor = Yes; Adequate/Good = No)	70	27%	186	73%	256	27.34	51	10%	470	90%	521	9.79
20.4	Number times tested in past year for HIV (Poor = once or more; Adequate/Good = None)	88	56%	69	44%	157	56.05	63	29%	154	71%	217	29.03
20.10	HIV risk factors (Poor = Yes; Adequate/Good = No)	25	10%	232	90%	257	9.73	21	4%	495	96%	516	4.07
20.2	Medical treatments to help people with HIV live longer (Poor = False; Adequate/Good = True)	16	7%	232	94%	248	6.45	15	3%	482	97%	497	3.02
20.3	Have you ever been tested for HIV (Poor = Yes; Adequate/Good = No)	160	61%	102	39%	262	61.07	222	43%	297	57%	519	42.77
20.6	The MAIN reason for last HIV test (Poor = suggested, drugs/sex, worried; Good = pregnant, required, routine exam)	59	38%	97	62%	156	37.82	50	23%	167	77%	217	23.04

<i>HIV / AIDS (<65 yrs. of age)</i>		Chi-Square (2-sided)	Risk Ratio	Odds Ratio	Confidence Interval	
		asyp. Sig.			Upper	Lower
20.11	Health care professional discussed STD prevention	0.000	2.79	3.47	2.33	5.16
20.4	Number times tested in past year for HIV	0.000	1.93	3.12	2.03	4.79
20.10	HIV risk factors	0.003	2.39	2.54	1.40	4.60
20.2	Medical treatments to help people with HIV live longer	0.044	2.14	2.22	1.09	4.51
20.3	Have you ever been tested for HIV	0.000	1.43	2.10	1.55	2.84
20.6	The MAIN reason for last HIV test	0.003	1.64	2.03	1.29	3.19

Appendix H: Statistical significant data summary grouped by category

<i>Demographics</i>	Camden City (CC)						Remainder of County (RC)					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
13.9 Annual household income (Poor = < \$35,000; Adequate/Good = > \$35,000)	208	73%	79	28%	287	72.47	238	37%	402	63%	640	37.19
13.7 Highest grade of education completed (Poor = < than H.S. diploma; Adequate/Good = ≥ H.S. Diploma)	87	25%	260	75%	347	25.07	70	9%	708	91%	778	9.00
13.8 Currently employed (Poor = out of work; Adequate/Good = employed)	75	22%	272	78%	347	21.61	76	10%	700	90%	776	9.79

<i>Demographics</i>	Chi-Square (2-sided) asyp. Sig.	Risk Ratio	Odds Ratio	Confidence Interval	
				Upper	Lower
13.9 Annual household income	0.000	1.95	4.45	3.28	6.03
13.7 Highest grade of education completed	0.000	2.79	3.38	2.40	4.78
13.8 Currently employed	0.000	2.21	2.54	1.79	3.59

<i>Safety - Firearms and Crime</i>	Camden City (CC)						Remainder of County (RC)					
	Poor	%	Good	%	Total	Per 100	Poor	%	Good	%	Total	Per 100
CC.3 Victim of violent crime within past 5 years (Poor = Yes; Adequate/Good = No)	28	9%	301	92%	329	8.51	14	2%	750	98%	764	1.83
21.1 Loaded firearms in your home (Poor = Yes; Adequate/Good = No)	12	50%	12	50%	24	50.00	13	17%	62	83%	75	17.33
CC.4 Victim of property crime within past 5 years (Poor = Yes; Adequate/Good = No)	56	17%	272	83%	328	17.07	82	13%	682	87%	764	10.73

<i>Safety - Firearms and Crime</i>	Chi-Square (2-sided) asyp. Sig.	Risk Ratio	Odds Ratio	Confidence Interval	
				Upper	Lower
CC.3 Victim of violent crime within past 5 years	0.000	4.64	4.98	2.61	9.51
21.1 Loaded firearms in your home	0.003	2.88	4.77	1.79	12.71
CC.4 Victim of property crime within past 5 years	0.005	1.59	1.71	1.19	2.47