


Appendix I: Percentages and Graphs


Respondent Demographics

	CC (N)	CC (%)	RC (N)	RC (%)
Male	130	37.4	297	38.2
Female	218	62.6	481	61.8
Age < 65 yrs	270	77.6	532	68.5
Age > 64 yrs	76	21.8	240	30.9
Black only, non-Hispanic	226	66.7	66	8.7
White only, non-Hispanic	31	9.1	648	85.0
Other, Non-Hispanic	7	2.1	15	2.0
Hispanic	75	22.1	33	4.3




Appendix I: Percentages and Graphs

<u>Recoded Age Groupings</u>	CC	RC
18-39 yrs	34.8	19.5
40-44 yrs	9.5	8.9
45-49 yrs	9.2	11.1
50-59 yrs	18.1	18.9
> 59 yrs	28.4	41.6




Appendix I: Percentages and Graphs

<i>Demographics</i>	CC	RC	
Not currently employed - out of work	21.61	9.79	(Poor = yes; Adequate = No)
Do not have a high school diploma or GED	25.07	9	(Poor = < than H.S. diploma; Adequate = ≥ H.S. diplomaYes)
Annual household income is less than \$35,000	72.47	37.19	(Poor = < \$35,000; Adequate = > \$35,000)




General Health Status; Self-Reported

	Poor	Adequate
Camden City	29.8	70.2
Remainder County	19.7	80.3
New Jersey	16.6	83.4




Appendix I: Percentages and Graphs

<i>Health Related Quality of Life - Healthy Days</i>	CC	RC	
How many days feeling worried, tense, or anxious >3days/mos	29.85	36.64	(Poor = 3-30 days; Adequate = 0-2 days)
How many days >3 in past 30 was your mental health not good?	23.84	17.71	(Poor = 3-30 days; Adequate = 0-2 days)
How many days >3 in past 30 was your physical health not good?	34.21	26.14	(Poor = 3-30 days; Adequate = 0-2 days)
How many days >3 in past 30 was your physical or mental health not good?	53.09	37.9	(Poor = 3-30 days; Adequate = 0-2 days)
No participation in physical activities in past 30 days	39.37	25.16	(Poor = No; Adequate = Yes)
Have physically care for another person...?	21.32	11.49	(Poor = Yes; Adequate = No)
Have gone without food to pay other bills?	22.53	8.04	(Poor = Yes; Adequate = No)
Drinks bottle, vended or another source water at home...	65.96	31.9	(Poor = bottle, vended or other source; Adequate = tap water)




Appendix I: Percentages and Graphs

<i>Health Care Access</i>	CC	RC	
Does not own a car and thinks public transportation is unaccessible	22.31	39.74	(Poor = No or don't use; Adequate = Yes)
Does not think of one person as his/her personal doctor	21.68	14.8	(Poor = No, more than one; Adequate = Yes)
Have gone without a prescription because of cost	29.48	17.96	(Poor = Yes; Adequate = No)
Have gone without seeing a doctor when needed due to cost	22.03	11.73	(Poor = Yes; Adequate = No)
Do not have some form of health care coverage/insurance	20.93	8.63	(Poor = no insurance; Adequate = public or private insurance)
Primary source of transportation is not your own car	39.27	10.12	(Poor = none, someone else, public; Adequate = own car)




Appendix I: Percentages and Graphs

<i>Oral Health</i>	CC	RC	
Had more than 1 tooth removed due to decay or gum disease?	69.12	61.6	(Poor = 1 or more; Adequate = None)
More than 1 yr. since you had a dentist/dental clinic visit?	40.94	29.61	(Poor = more than 1 yr; Adequate = within past yr.)
More than 1 yr. since your teeth were cleaned professionally?	46.67	28.69	(Poor = more than 1 yr; Adequate = within past yr.)




Appendix I: Percentages and Graphs

<i>Substance Use</i>	CC	RC	
Have consumed 3 or more drinks of alcohol per week/mos.	6.63	10.95	(Poor = 3 or more; Adequate = 2 or less)
Have smoked at least 100 cigarettes in your entire life	42.77	50.39	(Poor = Yes; Adequate = No)
Currently smoke cigarettes	56.76	41.28	(Poor = every/some days; Adequate = no)
Have consumed 3 or more drinks of alcohol per occasion	37.5	20	(Poor = 3 or more; Adequate = 2 or less)




Appendix I: Percentages and Graphs

<i>Preventive Health Screenings</i>	CC	RC	
Persons > 49 yrs - more than 1 yr. since last blood stool test using home kit	42.86	64.64	(Poor = more than 1 yr; Adequate = within past yr.)
Persons > 49 yrs that never had a sigmoid or colonoscopy exam	53.9	42.86	(Poor = No; Adequate = Yes)
Males > 39 yrs. of age and never had a PSA test...	45.95	28.02	(Poor = No; Adequate = Yes)
Males > 39 yrs. of age and never had a digital rectal exam...	50.67	26.05	(Poor = No; Adequate = Yes)




Appendix I: Percentages and Graphs

<i>Cardiovascular Health</i>	CC	RC	
Do not eat more fruits and vegetables, reducing risk of heart disease	53.45	62.83	(Poor = No; Adequate = Yes)
Is not more physically active, reducing risk of heart disease	54.38	61.43	(Poor = No; Adequate = Yes)
Do not eat less high fat or high cholesterol foods, reducing risk of heart disease	35.89	28.5	(Poor = No; Adequate = Yes)
Never had blood cholesterol checked	22.09	11.55	(Poor = No; Adequate = Yes)



Appendix I: Percentages and Graphs

HIV / AIDS (<65 yrs. of age)	CC	RC	
Tested for HIV because of risky behavior (i.e. drugs) or was suggested	37.82	23.04	(Poor = suggested, drugs/sex, worried; Adequate = pregnant, required, routine exam)
Have been tested for HIV (not including part of blood donation)	61.07	42.77	(Poor = Yes; Adequate = No)
Unaware of medical treatments to help HIV infected person live longer	6.45	3.02	(Poor = false; Adequate = true)
One of the HIV risk factor situations applied to the person	9.73	4.07	(Poor = Yes; Adequate = No)
Have been tested for HIV one or more times in past year.	56.05	29.03	(Poor = once or more; Adequate = None)
Health care professional discussed preventing STDs through condom use	27.34	9.79	(Poor = Yes; Adequate = No)



Appendix I: Percentages and Graphs

<i>Safety - Firearms and Crime</i>	CC	RC	
Was a victim of a property crime within past 5 yrs.	17.07	10.73	(Poor = yes; Adequate = No)
Have a loaded firearm in their home	50	17.33	(Poor = yes; Adequate = No)
Was a victim of a violent crime within past 5 yrs.	8.51	1.83	(Poor = yes; Adequate = No)

